

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Georgia-Pacific Corp. Operator Well No.: WV 216541 (WVC-3816)

LOCATION: Elevation: 1777' Quadrangle: Bradshaw
District: Sandy River County: McDowell
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT Production Company Coal Operator Natural Resources Partner L.P.
1710 Pennsylvania Avenue or Owner 5280 Irwin Road
Charleston, WV 25302 Huntington, WV 25705
Agent John Damato Coal Operator _____
Permit Issued Date 2-4-2014 or Owner _____

STATE OF WEST VIRGINIA, KY
County of Floyd ss:

AFFIDAVIT

Charles Moore and Rodney Osborne being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 11 day of April, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Class A Cement	1100'	Surface	1100' of 1 1/2"	21' of 12 3/4"
				318' of 8 5/8"
				1724' of 4 1/2"
				558' of 1 1/2"

Description of monument: 2" tubing w/ metal plate w/ API, EQT, Well Number and that the work of plugging and filling said well was completed on the 16 day of April, 2014.


And further deponents saith not.

Charles Moore
Rodney Osborn

Sworn and subscribe before me this 17th day of April, 2014

My commission expires: 9-26-14

Michelle Handshoe
Notary Public



Affidavit reviewed by the Office of Oil and Gas: Jeffery Kumbly

Title: Inspector

RECEIVED
Office of Oil & Gas

MAY 06 2014

WV Department of
Environmental Protection

Official Seed
Notary Public, State of West Virginia
My Commission Expires 12/31/2005
My Commission Expires 12/31/2005
My Commission Expires 12/31/2005

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Shonk Land Company Operator Well No.: Shonk Land 18

LOCATION: Elevation: 1822' Quadrangle: Eskdale
District: Cabin Creek County: Kanawha
Latitude: 14,800 Feet South of 38 Deg. 05 Min. 00 Sec.
Longitude: 7320 Feet West of 81 Deg. 25 Min. 00 Sec.

Well Type: OIL _____ GAS X

Company	<u>Cabot Oil & Gas Corporation</u>	Coal Operator	<u>Catenary Coal Co., LLC 5914 Cabin Creek Rd., Eskdale, WV 25075</u>
	<u>Five Penn Center West, STE. 401</u>	or Owner	<u>JMAC, P.O. Box 726, Ceredo, WV 25501</u>
	<u>Pittsburgh, PA 15276</u>		<u>Shonk Land Co., 194 Summers Street, Charleston, WV 25301</u>
Agent	<u>Whitney Johnson</u>	Coal Operator	
Permit Issued Date	<u>06/11/2013</u>	or Owner	<u>Robin Land Co., 106 Lockheed Drive, Beckley, WV 25813</u>

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Kanawha ss:

(Cabot) D.W. Butch Green and (Viking Rig 8 operator) Bill Smith being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 10th day of January, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Class A cement	2585	2235	1750' OF 7"	881' OF 7"
6% Gel	2114'	1800		
Class A cement	1800'	1060'		
6% Gel	1060'	1054'		
Class A cement	1054'	954'	329.2' OF 10 3/4"	697.8' OF 10 3/4"
6% Gel	954'	500'		
Class A	500'	400'		

Description of monument: Steel 1/4" thick Plate W/ well name, API # and Date Plugged and that the work of plugging and filling said well was completed on the 20th day of February, 2014.


And further deponents saith not.

Butch Green
Bill Smith

Sworn and subscribe before me this 20th day of March, 2014

My commission expires April 15, 2022

Kara Bragg
Notary Public



Affidavit reviewed by the Office of Oil and Gas:

Angela Miller
Witness No plugs- 4-14-14

Title: Inspector Chiles

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Shonk Land Company Operator Well No.: Shonk Land 18

LOCATION: Elevation: 1822' Quadrangle: Eskdale
District: Cabin Creek County: Kanawha
Latitude: 14 800 Feet South of 38 Deg. 05 Min. 00 Sec.
Longitude: 7320 Feet West of 81 Deg. 25 Min. 00 Sec.

Well Type: OIL _____ GAS X

Company	<u>Cabot Oil & Gas Corporation</u>	Coal Operator	<u>Catenary Coal Co., LLC 5914 Cabin Creek Rd., Eskdale, WV 25075</u>
	<u>Five Penn Center West, STE. 401</u>	or Owner	<u>JMAC, P.O. Box 726, Ceredo, WV 25501</u>
	<u>Pittsburgh, PA 15276</u>		<u>Shonk Land Co., 194 Summers Street, Charleston, WV 25301</u>
Agent	<u>Whitney Johnson</u>	Coal Operator	<u>Robin Land Co., 106 Lockheed Drive, Beckley, WV 25813</u>
		or Owner	
Permit Issued Date	<u>06/11/2013</u>		

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Kanawha ss:

(Cabot) D.W. Butch Green and (Viking Rig 8 operator) Bill Smith being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 10th day of January, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
6% Gel	400'	379'		
Class A cement	379'	SURFACE		
				RECEIVED
				Office of Oil and Gas
				MAY 02 2014


Description of monument: Steel 1/4" thick Plate W/ well name, API # and Date Plugged and that the work of plugging and filling said well was completed on the _____ day of _____, 20____.

And further deponents saith not.

Butch Green
Bill Smith

Sworn and subscribe before me this 20th day of March, 2014

My commission expires April 15, 2022



Kara Bragg
Notary Public

Affidavit reviewed by the Office of Oil and Gas:

Angie W. Miller
Witness NO plugs

Title: Inspector Delella

4-14-14

WR-38
Rev. 5/08

API # 47-047-01441

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Greenwell, Jessie R. and Tina Operator Well No.: 508888 (WVC-4538)

LOCATION: Elevation: 1632' Quadrangle: Bradshaw
District: Sandy River County: McDowell
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT Production Company Coal Operator Natural Resources Partner L.P.
1710 Pennsylvania Avenue or Owner 5280M Irwin Road
Charleston, WV 25302 Huntington, WV 25705
Agent John Damato Coal Operator _____
Permit Issued Date 1-17-2014 or Owner _____

AFFIDAVIT

STATE OF ~~WEST VIRGINIA~~ RY
County of Floyd ss:

Charles Moore and Rodney Osborne being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 3 day of April, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Class A Cement	925'	Surface	927' of 1 1/2"	20' of 13 3/8"
				315' of 9 5/8"
				1583' of 4 1/2"
				537' of 1 1/2"

Description of monument: 2" tubing w/ metal plate w/ API, EQT, Well Number and that the work of plugging and filling said well was completed on the 10 day of April, 2014.

And further deponents saith not.

Charles Moore
Rodney Osborne


Sworn and subscribe before me this 15th day of April, 2014

My commission expires: 9-26-14

Michelle Handshy
Notary Public

Affidavit reviewed by the Office of Oil and Gas: Jeff Kennedy

Title: Engineer at Large



RECEIVED
Office of Oil & Gas

MAY 06 2014

WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Alawest Inc. Operator Well No.: Alawest 04

LOCATION: Elevation: 1644' Quadrangle: laegar
District: Sandy River County: McDowell
Latitude: 838 Feet South of 37 Deg. 27 Min. 30 Sec.
Longitude: 184 Feet West of 81 Deg. 47 Min. 30 Sec.

RECEIVED
Office of Oil & Gas

MAY 06 2014

Well Type: OIL _____ GAS x _____

Company GeoMet Operating Company
5336 Stadium Trace Pkwy Suite 206
Birmingham, AL 35242

Coal Operator Alawest, Inc.
or Owner P.O. Box 920
Welch, WV 24801

WV Department of
Environmental Protection

RECEIVED
Office of Oil & Gas

APR 22 2014

Agent _____
Permit Issued Date _____

Coal Operator
or Owner _____

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of McDowell ss:

WV Department of
Environmental Protection

Jeff Cooper and Mike Stilwell being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 1st day of April, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
50/50 Poz 10% Salt, 2% Bentonite	1680'	Surface	0	13-3/8" - 19'
			0	9-5/8" - 191'
			0	7" - 311'
			0	4-1/2" - 1530'
			2-3/8" -	1639.00

Description of monument: 2-3/8 x 6' Erect Monument with attached API# 1582 and that the work of plugging and filling said well was completed on the 1st day of April, 2014.

And further deponents saith not.

Jeff Cooper
Mike Stilwell


Sworn and subscribe before me this 22 day of April, 2014

My commission expires: May 20, 2018

Rocky Reno Stilwell
Notary Public

Affidavit reviewed by the Office of Oil and Gas: Thy K...

Title: Inspector



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Lease or Property Owner
1 BRIDGE STREET MONONGAH. WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5057
Well No.
BAKER, JOHN #2
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

BRETT HOWELL and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 20th day of March, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 1/2" hole from the surface to 165'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 165' to 720'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 671' to 678'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 720' to 878'. <u>Cemented hole from 878' to the surface as follows:</u> From 878' to 566' with 115 sacks of Thixotropic Cement with Green Dye. From 566' to surface with 230 sacks of Expandable Cement. Cement did circulate at the surface. Left 17' of 16" conductor casing in the hole from the surface to 17'.		16" Conductor	0'	18'
		<div>RECEIVED Office of Oil & Gas MAY 06 2014 WV Department of Environmental Protection</div>		
Coal Seams				
<u>PITTSBURGH</u>	671' to 678'			
(Name)				
(Name)		Description of Monument 77" of 7" casing w/company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		
(Name)				
(Name)				

... And that the work of plugging and filling said well was completed on the 2nd day of April, 2014.

And further deponents saith not.

Brett Howell
Brett Howell


Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 5th day of May 2014

Kara Beth Ford
Notary Public

My commission expires: 11/14/23

Permit No. 47-49-00642-P
Well No. 5057



ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
JAMES D. ATKINSON
Lease or Property Owner
15 SMOKEY VALLEY ROAD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
CLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5154
Well No.
ATKINSON, JAMES D.
Farm

STATE INSPECTOR SUPERVISING PLUGGING

Bill Harkins

5-5-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of **MONONGALIA** ss:

DELBERT MOORE and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 2nd day of February, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 14 3/4" hole from the surface to 30'. Drilled Cement with 14 3/4" bit from 30' to 76'. Removed junk casing with 13 3/8" Junk Basket from 44' to 82'. Removed 64' of 10 3/4" casing from 82' to 146'. Cleaned 12 1/4" hole from 82' to 146'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 146' to 202'. Tag top of 8 5/8" casing at 202'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 202' to 1189'. Tag solid plug at 1189'. Cut 8 5/8" casing at the following depths: 1185', 1115', 1015', 915', 820', 816', 814', 812', 808', 806', 804', 803', 710', 510', 410' and 310'. Bottom of 8 5/8" casing is at unknown depth. Cleaned 7 7/8" hole inside 8 5/8" casing through the Pittsburgh Coal seam from 808' to 815'.	16" Conductor	0'	20'	
	10 3/4" Casing	64'	Unknown	
	8 5/8" Casing	0'	Unknown	
Cemented hole from 1189' back to surface as follows: From 1189' to 1015' with 35 sacks of Expandable Cement. From 1015' to 708' with 85 sacks of Thixotropic Cement with green dye. From 708' to the surface with 260 sacks of Expandable Cement. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.		<div>RECEIVED Office of Oil & Gas MAY 06 2014 WV Department of Environmental Protection</div>		
Coal Seams				
PITTSBURGH	808' to 815'			
(Name)				
(Name)		Description of Monument		
(Name)		Name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		

... And that the work of plugging and filling said well was completed on the 18th day of March, 2014

And further deponents saith not.

Delbert Moore
Delbert Moore


Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 5th day of May 2014

Kara Beth Forst
Notary Public

My commission expires: 11/4/23

Permit No. 47-49-00887-P
Well No. 5154



ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Lease or Property Owner
1 BRIDGE ST. MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
8004
Well No.
CONSOLIDATION COAL CO.
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

RUSSELL SMALLWOOD and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 27th day of February, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 3 1/2" hole from the surface to 3039'. Perforated 4 1/2" casing with 6 shots in 30" at the following depths: 2500', 2400', 2300', 2200', 2100', 2000', 1900', 1800', 1700', 1600', 1500' and 1400'. 4 1/2" casing was previously perforated at the following depths: 2995', 2975', 2905', 2880', 2795', 2735', 2705' and 2605'. Cemented bottom hole plug from 3039' to 1375' with 100 sacks of Expandable Cement with Gas Blocker additive. Removed 1373' of 4 1/2" casing from the surface to 1373'. Left 1681' of 4 1/2" casing in the hole from 1373' to 3054'. Cut 7" casing at the following depths: 903', 803', 596', 496', 396', 296', 196' and 96'. Removed 88' of 7" casing from 8' to 96' with extreme difficulty due to cement bond. Sand cut 7" and 9 5/8" casing at the following depths: 708', 706', 704', 702', 700', 698', 696', 694', 692', 690', 688' and 686'. Sand cut 7" and 9 5/8" casing through the Pittsburgh Coal seam from 695' to 703'. Left approximately 1664' to 7" casing in the hole from 96' to 1760'. Left approximately 725' of 9 5/8" casing in the hole from the surface to 725'. Left 19' of 13 3/8" casing in the hole from the surface to 19'. All casing depths taken from previous well record.	16" Conductor	0'	12'	
	13 3/8" Casing	0'	19'	
	9 5/8" Casing	0'	725'	
	7" Casing	88'	1664'	
	4 1/2" Casing	1373'	1681'	
<u>Cemented hole from top of bottom hole plug at 1375' back to surface as follows:</u> From 1375' to 913' with 60 sacks of Expandable Cement. From 913' to 595' with 55 sacks of Thixotropic Cement with Dye. From 595' to surface with 110 sacks of Expandable Cement. Cement did circulate at the surface. Left 12' of 16" conductor casing in the hole from the surface to 12'.		RECEIVED Office of Oil & Gas MAY 06 2014 WV Department of Environmental Protection		
Coal Seams		Description of Monument		
<u>PITTSBURGH</u>	695' to 703'	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

... And that the work of plugging and filling said well was completed on the 19th day of March, 2014.

And further deponents saith not.


Russell Smallwood
Russell Smallwood

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 1st day of April 2014

Kara Beth Ford
Notary Public

My commission expires: 11/4/23



Permit No. 47-49-01478-P
Well No. 8004

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
WILLIAM C. & VICKIE E. LUCAS
Lease or Property Owner
85 EVANS RUN ROAD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5347
Well No.
LUCAS, WILLIAM C. & VICKIE E.
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 19th day of March, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from the surface to 336'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 336' to 1046'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1046' to 1253'. Tagged solid plug at 1253'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 998' to 1007'. <u>Cemented hole from 1253' back to surface as follows:</u> From 1253' to 898' with 205 sacks of Thixotropic Cement with Green Dye. From 898' to the surface with 470 sacks of Expandable Cement. A total of 675 sacks of cement were used to fill the hole from 1253' back to surface. Cement did circulate at the surface.		20" Conductor	0'	20'
		<div>RECEIVED Office of Oil & Gas MAY 06 2014 WV Department of Environmental Protection</div>		
Coal Seams				
Pittsburgh	(998' - 1007')			
		Description of Monument		
		77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 27th day of March, 2014


And further deponents saith not.

Delbert Moore
Delbert Moore
Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 5th day of May 2014

Kara Beth Forst
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-01990-P
Well No. 5347

ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Lease or Property Owner
1 BRIDGE STREET MONONGAH, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5120A
Well No.
BAKER, MARGT A
Farm

STATE INSPECTOR SUPERVISING PLUGGING

Bill Hadden 5-5-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

ROGER MOORE and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 17th day of March, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from the surface to 217'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 217' to 570'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 570' to 1326'. Cleaned 7 7/8" hole through the Pittsburgh Coal seam from 918' to 925'.		16" Conductor	0'	20'
RECEIVED Office of Oil & Gas MAY 06 2014 WV Department of Environmental Protection				
<u>Coal Seams</u>		<u>Description of Monument</u>		
<u>PITTSBURGH</u>	<u>918' to 925'</u>	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

... And that the work of plugging and filling said well was completed on the 7th day of April, 2014.

And further deponents saith not.

Roger Moore
Roger Moore


Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 5th day of May 2014

Kara Beth Forst
Notary Public

My commission expires: 11/4/23

Permit No. 47-49-02290-P
Well No. 5120A



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Lease or Property Owner
1 BRIDGE ST. MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
MANNINGTON 7.5'
Well Location
MANNINGTON
District
MARION
County
3951
Well No.
CONSOLIDATION COAL COMPA
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MICHAEL P. MITCHELL and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th day of March, 2014 and that the well was plugged in the following manner:

	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Formation				
Cleaned 12 1/4" hole from Surface to 386'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 386' to 1190'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 850' to 856'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1190' to 1215'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1215' to 1230'. <u>Cemented hole from 1230' back to the Surface as follows:</u> From 1230' to 1056' with 100 sacks of Expandable Cement. From 1056' to 750' with 215 sacks of Thixotropic Cement with dye. From 750' to the Surface with 385 sacks of Expandable Cement. Cement did circulate at the surface. Left 17' of 16" conductor casing in the hole from the surface to 17'.	16" Conductor	0'	17'	
Coal Seams		RECEIVED Office of Oil & Gas MAY 06 2014 WV Department of Environmental Protection		
PITTSBURGH	850' to 856'	Description of Monument		
(Name)		77' of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
		cement plug at ground level.		

... And that the work of plugging and filling said well was completed on the 5th day of April, 2014.

And further deponents saith not.

Michael P. Mitchell
Michael P. Mitchell


Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 21st day of April 2014

Carol A. Mayle
Notary Public

My commission expires: 9.12.2017

Permit No. 47-49-02293-P
Well No. 3951



ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
JAMES D. ATKINSON
Lease or Property Owner
15 SMOKEY VALLEY ROAD MANINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5151
Well No.
ATKINSON, JAMES D.
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

BRETT HOWELL and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 3rd day of April, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from the surface to 166'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 166' to 1158'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 718' to 726'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1158' to 1186'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1186' to 1188'. <u>Cemented hole from 1188' to the surface as follows:</u> From 1188' to 944' with 90 sacks of Expandable Cement. From 944' to 597' with 220 sacks of Thixotropic Cement with Green Dye. From 597' to surface with 305 sacks of Expandable Cement. Cement did circulate at the surface. Left 18' of 16" conductor casing in the hole from the surface to 18'.		16" Conductor	0'	18'
Coal Seams		Description of Monument	RECEIVED Office of Oil & Gas MAY 06 2014 WV Department Environmental Protection	
<u>PITTSBURGH</u>	718' to 726'	77" of 7" casing w/company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		
(Name)				
(Name)				
(Name)				

... And that the work of plugging and filling said well was completed on the 14th day of April, 2014.

And further deponents saith not.

Sworn to and subscribed before me this 5th day of May 2014

My commission expires: 11/4/23

Brett Howell
Brett Howell

Kevin S. Wright
Kevin S. Wright

Kara Beth Forst
Notary Public

Permit No. 47-49-02300-P
Well No. 5151

